

EU-type examination (Module B)

certificate

No: 182140315/AA/01

In compliance with the procedure specified in RD_061, Telefication declares as designated Notified Body 0560 for the European Radio Equipment Directive, that the stated product, complies with the essential requirements, in accordance with Article 3 of Directive 2014/53/EU, as indicated under Annex 1 of this certificate, based on the applicable Technical Standards and Specifications as listed under Annex 2 of this Certificate.

Product description: LTE-A Cat.6 Mini PCIe Module

Trademark: Quectel
Type designation: EP06-E

Hardware / Software version: R1.0 / EP06ELAR03A08M4G

This certificate is granted to manufacturer:

Name: Quectel Wireless Solutions Co., Ltd.

Address: Building 5, Shanghai Business Park Phase III (Area B), No.1016

Tianlin Road, Minhang District

City: 200233 Shanghai

Country: China

This certificate remains valid as long as the stated product stays in compliance with the essential requirements of the Radio Equipment Directive.

This certificate has THREE Annexes.

Apeldoorn, 29 June 2021

George Lo Product Assessor

Feorge d

PRODUCTS RVA C 224



General Conditions

For each product to which this EU-type examination relates, it has complied to the essential requirements as follows:

Article 3.1

Radio equipment shall be constructed so as to ensure:

- The protection of health and safety of persons and of domestic animals and the protection of property, С including the objectives with respect to safety requirements set out in Directive 2014/35/EU, but with no (a) voltage limit applying;
- C An adequate level of electromagnetic compatibility as set out in Directive 2014/30/EU. (b)

Article 3.2

Radio equipment shall be so constructed that it both effectively uses and supports the efficient use of С radio spectrum in order to avoid harmful interference.

Article 3.3

Radio equipment within certain categories or classes shall be so constructed that it complies with the following essential requirements:

- NΑ (a) Radio equipment interworks with accessories, in particular with common chargers;
- Radio equipment interworks via networks with other radio equipment; NA (b)
- NA Radio equipment can be connected to interfaces of the appropriate type throughout the Union; (c)
- Radio equipment does not harm the network or its functioning nor misuse network resources, thereby NA (d) causing an unacceptable degradation of service;.
- Radio equipment incorporates safeguards to ensure that the personal data and privacy of the user and NA (e) of the subscriber are protected;
- NΑ (f) Radio equipment supports certain features ensuring protection from fraud;
- NA (g) Radio equipment supports certain features ensuring access to emergency services;
- NA (h) Radio equipment supports certain features in order to facilitate its use by users with a disability;
- Radio equipment supports certain features in order to ensure that software can only be loaded into the
- radio equipment where the compliance of the combination of the radio equipment and software has NA (i) been demonstrated.

Legend

Conform C NC Not Conform

NA = Not applicable (for this equipment) Not performed (for this certificate) NP



- This EU-type examination certificate is limited to the Radio Equipment Directive.
- This EU-type examination certificate is part of the Conformity Assessment procedure Module B and C, as described in annex III of the Radio Equipment Directive.
- The validity of this EU-type examination certificate is limited to products, which are equal to the one(s) assessed for this EU-type examination.
- When the manufacturer (or holder of this EU-type examination certificate) is placing the listed products on the
 European market or the countries of the EEA, he is obliged to label the products with the prescribed CE logo.
 The CE logo stands for conformity to all applicable Directives.
 Next to the CE logo the manufacturer has to draw up and issue a Declaration of Conformity, declaring that
 the product(s) described in this EU type-examination certificate, are in compliance with Directive 2014/53/EU
 and any other applicable EU harmonization legislation.
- Each product shall be identified by means of type, batch and/or serial numbers and the name of the manufacturer and/or importer.
- If the equipment is to be modified, Telefication shall be notified immediately. Depending on the modifications, Telefication may have additional examinations carried out in consultation with the applicant.
- Enforcement of a new amending directive voids the validity of this EU-type examination certificate.
- In case any referenced standard in this EU-type examination certificate is withdrawn or superseded and the
 presumption of conformity with the essential requirements has ceased, investigation by Telefication is needed
 to determine the validity of this EU-type examination.

Remarks and observations

The following conditions are applicable:

AA/01: The standard update/SW changes as described in the TCF

Device is a Radio Module.

The equipment has been tested with a dipole antenna, 4 dBi gain.

Device supports non-EU bands.

LTE in band 28 is only allowed to operate in 703 to 736Mhz (tx), and 758 to 796MHz (Rx)



Documentation lodged for this EU-type examination

Test Reports:

- TA Technology (Shanghai) Co., Ltd.: R2103A0203-E1, 15 June 2021 - TA Technology (Shanghai) Co., Ltd.: R2103A0203-L1, 11 June 2021 - TA Technology (Shanghai) Co., Ltd.: R2103A0203-M1, 17 June 2021 - TA Technology (Shanghai) Co., Ltd.: R2103A0203-R1, 08 June 2021
- TA Technology (Shanghai) Co., Ltd.: R2103A0203-R2, 08 June 2021
- TA Technology (Shanghai) Co., Ltd.: R2103A0203-R3, 08 June 2021

Product Documentation:

- Assembly drawings
- Block diagram
- Electrical diagrams
- Internal photos
- External photos
- Manual
- Label and label placement
- Test setup photos
- Risk assessment
- RED declarations

Technical Standards and Specifications

The product is compliant with:

EN 303 413	April, 2021	V1.2.1
Draft EN 301 489-19	September, 2020	V2.2.0
Draft EN 301 489-52	Dec, 2020	V1.1.2
EN 301 489-1	November, 2019	V2.2.3
EN 301 908-1	Nov, 2019	V13.1.1
EN 301 908-13	November, 2019	V13.1.1
EN 301 908-2	June, 2020	V13.1.1
EN 55032:2015+A11:2020	March, 2020	
EN 55035:2017+A11:2020	May, 2020	
EN IEC 62311	January, 2020	
EN IEC 62368-1:2020+A11:2020	March, 2020	



Technical features and characteristics

The product includes the following features and characteristics:

GPS receiver

- Operating frequency range: 1559-1610 MHz

GLONASS receiver

- Operating frequency range: 1559-1610 MHz

BDS

- Operating frequency range: 1559-1610 MHz

WCDMA Band I

- Operating frequency range: 1920-1980, 2110-2170 MHz
- Maximum output power: 24 dBm rated

WCDMA Band III

- Operating frequency range: 1710-1785, 1805-1880 MHz
- Maximum output power: 24 dBm rated

WCDMA Band VIII

- Operating frequency range: 880-915, 925-960 MHz
- Maximum output power: 24 dBm rated

LTE FDD Band 1

- Operating frequency range: 1920-1980, 2110-2170 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 3

- Operating frequency range: 1710-1785, 1805-1880 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 7

- Operating frequency range: 2500-2570, 2620-2690 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 8

- Operating frequency range: 880-915, 925-960 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 20

- Operating frequency range: 832-862, 791-821 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 28

- Operating frequency range: 703-748 MHz, 758-803 MHz
- Maximum output power: 23 dBm rated

LTE Band 32

- Operating frequency range: 1452-1496 MHz
- Downlink: CA

LTE TDD Band 38

- Operating frequency range: 2570-2620 MHz
- Maximum output power: 23 dBm rated

LTE TDD Band 40

- Operating frequency range: 2300-2400 MHz
- Maximum output power: 23 dBm rated

Annex 3 to EU-type examination Number: 182140315/AA/01



The product as described in this EU-type examination includes the following type designations:

- Product description: LTE-A Cat.6 Mini PCle Module

- Trademark: Quectel
- Type designation: EP06-E
- Hardware version: R1.0

- Software version: EP06ELAR03A08M4G